


| Special School Net Capacity Assessment Tool | | | |
|---|---------|--------|----------------|
| Date | Version | Editor | Comments |
| 23/01/2025 | 2.1 | | Locked Version |
| | | | |
| | | | |
| | | | |
| | | | |

| | | | |
|--|---|--|--|
|  Department for Education | | | |
| Net Capacity Assessment Verification Report | | | |
| Purpose of the report: | | | |
| The net capacity assessment method is intended to provide a single, robust and consistent method of assessing the capacity of schools. It results in a measure of capacity called the ‘Net Capacity’ (because it includes all the spaces within the ‘Net Area’ of the school buildings.) The Net Capacity figures can be used for a number of purposes. It provides schools and responsible bodies with consistent and objective data for use in setting admission numbers, admission appeals, supporting estate management and curriculum planning. By comparison with the number on roll and future pupil forecasts, it can indicate the number of places that are surplus or additional places that are needed in a school. It can also inform decisions about how capital resources are best deployed. | | | |
| Measurements: | | | |
| The measurements provided are for NCA purposes and are specific to the requirements of the NCA methodology. They are not equivalent to any measurement standards in the RICS Measurement 2nd Edition. | | | |
| Instructions | | | |
| Report will be sent via email through the automated solution to relevant School/Stakeholders. | | | |
| Step 1 | | | |
| Open report and navigate to the "Guidance" tab (current tab) in order to familiarise yourself with the instructions and definitions of different fields. | | | |
| Step 2 | | | |
| Refer to the "Establishment details" tab, where you will find calculated fields that contain all the general information about the respective school. You can click on each cell in order to find a pop-up definition of the cell. | | | |
| Step 3 | | | |
| Refer to the "Room Details" tab, where you can find detailed information on each room within the respective school, you can use below definitions to help you understand the meaning of each field or value. Room details tab has a limit of 2000 rooms. | | | |
| Definitions | | | |
| Room/Space Type | Description | | |
| General | Enclosed spaces which are daylit, reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical and IT servicing, 1 or no sinks, 1 or no walls with fitted furniture (e.g. benching) and have minimal fixed equipment. | | |
| Open-plan/semi-open general | Open-plan or semi-open spaces (i.e. open to main circulation route or other spaces) which are reasonably lit, ventilated and heated, have electrical and IT servicing, 1 or no sinks, 1 or no walls with fitted furniture (e.g. benching) and have minimal fixed equipment. | | |
| Fitted | Any spaces which are reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical and IT servicing, no sinks and 2 or more walls with fitted furniture (e.g. benching); e.g. ICT-rich rooms, music rooms with fixed benching for keyboards or secondary school libraries/ LRCs with fixed shelving. | | |
| Light practical (science) | Any spaces which are daylit, reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical, IT and wet servicing, 1 or more sinks and 2 or more walls with fitted furniture suitable for science (e.g. benching with gas taps); e.g. science studio/ demonstration, science laboratories, science prep rooms. | | |
| Light practical (other) | Any spaces which are daylit, reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical, IT and wet servicing, 1 or more sinks and 2 or more walls with fitted furniture (e.g. benching); e.g. art rooms, graphics or textiles rooms, hair and beauty salons or primary practical spaces. | | |
| Heavy practical (workshops) | Any spaces which are daylit, reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical and wet servicing, 1 or more sinks and fixed equipment, often with extract facilities, in a workshop environment (e.g. design technology, engineering and construction workshops, prep rooms for workshops, CAD/CAM and heat treatment areas) | | |
| Heavy practical (clean) | Any spaces which are daylit, reasonably ventilated and heated (unless Unusable as Basic Workplaces), have electrical and wet servicing, 1 or more sinks and fixed equipment or 2 or more walls of fitted furniture and equipment (F&E), in a clean, hygienic environment (e.g. food room, catering training rooms, clinical or massage spaces with beds, fitness/exercise | | |
| Large | Enclosed spaces with large volume (e.g. over 3.5m ceilings) which are reasonably ventilated and heated, have electrical servicing and may have fittings to suit PE or performance (e.g. sports halls, gymnasiums, swimming pools, halls (including any stage area), dining halls (not smaller social areas), drama, dance or media studios, atria and malls. | | |
| Storage | Enclosed spaces with minimal daylight and servicing, usually with fitted shelving or racking, not occupied and suitable for storage of teaching resources, work in progress, furniture, sports or other equipment. Not including preparation spaces (e.g. in science and design technology). | | |
| Non-net | Any spaces within a commercial school kitchen, including preparation, washup, food stores, admin, changing and toilets; any changing area with adjoining showers; any spaces of which more than 85% is circulation; any toilets, suites of toilets or hygiene rooms; any plant space including server rooms. | | |

| | | | |
|--|---|--|--|
| | | | |
| | | | |
| Number of workplaces The number of workplaces is automatically calculated for each space, using the room type and net area stated. The number of workplaces each space yields is dependent on the formula used, which are explained below. | | | |
| | | | |
| General | Spaces up to 90m2: (area / 1.5) - 4Spaces over 90m2: (area / 2.5) + 20 | | |
| Fitted | Spaces up to 120m2: (area / 2) - 4Spaces over 120m2: (area / 3) + 16 | | |
| Light practical | (area / 2.5) - 4 | | |
| Heavy practical | (area / 3.5) - 4 | | |
| Large | Spaces up to 75m2: (area / 2.5) - 4Spaces over 75m2: (area / 12.5) + 20 | | |
| Basic Workplaces in mainstream schools | Where the number of workplaces is calculated as being 15 or over, some or all of these workplaces are allocated as basic workplaces. The allocation of basic workplaces to a space indicates that it is a potential classbase or teaching space. This is based purely on the size and type of the space and is not a reflection of the current use of the space, nor is it expected that all basic workplaces should be used for teaching. Basic workplaces can take the values of 15 to 30, and then multiples of 30 (e.g. 60, 90, ...). | | |
| Resource Workplaces in mainstream schools | Resource workplaces are the number of workplaces remaining after basic workplaces have been allocated. Resource workplaces can take the values of 0 to 14 in spaces with less than 15 workplaces, and any workplaces remaining once basic workplaces have been allocated. | | |
| Basic Workplaces in special schools | Where the number of workplaces is calculated as being 12 or over, some or all of these workplaces are allocated as basic workplaces. The allocation of basic workplaces to a space indicates that it is a potential classbase or teaching space. This is based purely on the size and type of the space and is not a reflection of the current use of the space, nor is it expected that all basic workplaces should be used for teaching. Basic workplaces can take the values of 12 to 36, and then multiples of 36 (e.g. 72, 108, ...). The wider range in the basic workplace allocation for special schools acknowledges the variance in class sizes that can occur in special schools. Special schools have utilisation factors significantly lower than in mainstream schools to take account of much lower rates of actual pupil occupancy in classrooms. | | |
| Resource Workplaces in special schools | Resource workplaces are the number of workplaces remaining after basic workplaces have been allocated. resource workplaces can take the values of 0 to 11 in spaces with less than 12 workplaces, and any workplaces remaining once basic workplaces have been allocated. | | |
| | | | |
| Unusable as basic workplaces Spaces which yield less than 15 workplaces are already considered unusable as basic workplaces and therefore do not need to be assessed for any other reason. | | | |
| Daylight/ ventilation | Insufficient daylight and ventilation apparent to allow full-time occupation of the space (e.g. basements or lofts used for storage). | | |
| Heat/ insulation | Insufficient heating or insulation apparent to allow full-time occupation of the space (e.g. a shed or garage). | | |
| Fire escape | Inadequate access or means of escape to allow full-time occupation of the space by pupils or students. | | |
| Narrow (<3.5m) | Spaces or areas that are less than 3.5m wide (not including any shared circulation area). | | |
| Low ceiling (<2.1m) | Spaces or areas that have an average ceiling height of less than 2.1m (not including ceiling mounted equipment or services). | | |
| Changing benches | Dedicated cloakrooms and changing rooms (without showers) that have fixed benches and/or hooks on most walls, and perhaps fixed 'island' units (Changing rooms with showers directly adjacent should not be included in the net area of the establishment). | | |
| 85% Circulation | Usable area in spaces which are predominantly for circulation, such as malls or other large corridors (where shared circulation is 85% of the total area), foyers or main entrance halls. | | |
| Pools | Indoor swimming pools, including warm water pools and hydrotherapy pools (outdoor swimming pools should not be included in the net area of a establishment). | | |
| Outbuilding | Simple buildings without servicing or heating for storage or plant, including garages, sheds, storage containers, energy centres. | | |
| | | | |
| Definitions for the 'status' of each space | | | |
| Classbase | SPACES USED BY THE ESTABLISHMENT AS CLASSBASES, Only valid for schools with a primary element. These spaces include any associated part of shared teaching area, if appropriate (see guidance), and should only be used for spaces which are classrooms or areas designated as the registration base for one primary class. | | |
| Teaching | SPACES USED BY THE ESTABLISHMENT AS TEACHING SPACES, These spaces comprise of all rooms available for teaching or learning, including all timetabled spaces, halls and study areas (but not including dining areas or social areas). Libraries are also excluded. | | |
| Early years | LA DESIGNATED EARLY YEARS AND CHILDCARE PROVISION, Where these spaces are included in the Net Area Schedule, please enter details of the spaces in at the bottom of the "Establishment_Details" sheet. These spaces will not be included as part of the net capacity calculation and should be given a status of 'Early Years'. | | |

| | | | |
|---|--|--|--|
| SEND resourced | SPECIALLY RESOURCED FACILITIES FOR PUPILS WITH SPECIAL EDUCATIONAL NEEDS AND DISABILITIES This includes support facilities normally available to the establishment during the normal school day, including: <ul style="list-style-type: none">• facilities for pupils with special educational needs (SEN) and disabilities (such as a support centre for pupils with sensory impairments);• facilities for pupils with behaviour management problems (such as a Learning Support Unit); These spaces will not be included as part of the net capacity calculation. Spaces which are not specially resourced facilities but are predominantly used by SEND pupils should not be given a status of SEND Resourced. For example, a standard secondary classroom which is used by SEND pupils should be given a status of 'Teaching'. | | |
| Non-school | NON-SCHOOL SPACES These spaces would not be usually available by the school during the school day. This includes places of worship (previously marked "W"), parents and community rooms (previously marked "P"), adult learning facilities (previously marked "A"), some specially resourced facilities (previously marked "R") and any spaces in residential use. Spaces with this status will not be included as part of the net capacity calculation. | | |
| | | | |
| Outdoor spaces Outdoor spaces do not currently affect the net capacity of the establishment, however recording the type and area of outdoor spaces may provide a comparison with the schedule of accommodation tool and with building bulletin recommendations. Outdoor spaces DO NOT need to be measured unless they are hard surfaced, in which case the area of the space should be entered in the "Notes" field (Column R) . Similar outdoor spaces which are not hard surfaced should be counted, and the number of spaces should be entered in the "Notes" field (Column R) Prefixing the block reference with "OUT" will change the "room type" field to list the outdoor space types below. Record the area of these hard surfaced spaces in the net area field. For outdoor spaces, there is no need to consider whether the space is unusable, or the status. | | | |
| | | | |
| Natural habitat | Natural, mainly unmanaged area of natural habitat, fenced to be available to pupils only under supervision. | | |
| Managed habitat | Mainly managed area of horticultural habitat, paddock or bioretention facilities, fenced to be available to pupils only under supervision. | | |
| Level grass | Level mown and managed grassed area, available to pupils for PE. | | |
| Managed soft surface | Area of mown and managed grass, earth, bark, etc., available to pupils. | | |
| Specialist soft surface | Artificial grass area (e.g. for pitches), wet pour EPDM rubber or 'synthetic' (i.e. sand dressed synthetic turf, polymeric or clay), etc. available to pupils. | | |
| Soft landscaping | Mainly managed area of gardens and soft landscaping. | | |
| Specialist hard surface | Porous asphalt area or needle punch with shock pad (e.g. for MUGAs), available to pupils for PE. | | |
| Adjacent hard surface | Areas of asphalt, paving or other hard surfaced area adjacent to educational spaces in buildings, partially covered with simple roof coverings. | | |
| Hard surface | Non-porous asphalt, paving or other hard surfaced area for playgrounds, paths and courtyards. | | |
| Covered hard surface | Areas of asphalt, paving or other hard surfaced area wholly covered with simple roof coverings. | | |
| Sheltered area | Hard or soft surfaced areas sheltered by walls, trellises or trees, available to pupils for social, learning, or PE such as swimming pool. | | |
| External plant | Simple structures or tanks without servicing or heating for plant, including storage tanks, solar panel arrays, windmills. | | |
| | | | |



Department
for Education

Net Capacity Assessment Special Schools

Establishment Identification

| | |
|--------------------------|-----------------|
| Establishment name: | Woodlawn School |
| Phase of Education: | Special |
| Unique Reference Number: | 108652 |
| Local Authority: | North Tyneside |
| LA Number: | 392/ |
| Establishment Type | 0 |
| Date | |

Establishment age range

| | |
|-------------------|----|
| Age range minimum | 3 |
| Age range maximum | 18 |

Buildings information

| | |
|-----------------------|-------|
| Number of sites | 0 |
| Total site area (m2): | 17935 |

The number of sites is a required field,
please enter

Admissions

| | |
|-----------------------------|-----------|
| Earliest year of admission: | Reception |
| Last year accommodated: | Year 13 |

| | |
|---------------------------|-----|
| Planned Number of Places: | 168 |
|---------------------------|-----|

Additional information (optional)

Nursery/ EY Provision

| | |
|----------------------------|--------------|
| Key Stages (KS) | Total places |
| nursery places ages 0 to 2 | 0 |
| nursery places ages 2 to 3 | 0 |
| nursery places ages 3 to 5 | 0 |

SEND Classes

| | | | |
|-------------------|---------------|------------|--------------|
| Key Stages (KS) | No of classes | Class size | Total places |
| nursery* | 0 | 0 | 0 |
| reception* | 0 | 0 | 0 |
| primary KS1/2* | 0 | 0 | 0 |
| secondary KS 3/4* | 0 | 0 | 0 |
| post-16* | 0 | 0 | 18 |

Classes for Profound Multiple Learning Disabilities Only (PMLD) only

| | | | |
|------------------|---------------|------------|--------------|
| Key Stages (KS) | No of classes | Class size | Total places |
| primary KS1/2 | 0 | 0 | 0 |
| secondary KS 3/4 | 0 | 0 | 0 |
| post-16 | 0 | 0 | 0 |

Classes for severe Autistic Spectrum Disorder (ASD) only

| | | | |
|------------------|---------------|------------|--------------|
| Key Stages (KS) | No of classes | Class size | Total places |
| primary KS1/2 | 0 | 0 | 0 |
| secondary KS 3/4 | 0 | 0 | 0 |
| post-16 | 0 | 0 | 0 |

Comments

0

| STEP 1 | | | | | | | | | | STEP 2 | | | | | | STEP 3 | | STEP 4 | | | |
|----------------------------|------------|-----------|------|-------------------------|------------------------------|-------------------------|------------------------------|----------|--------------|----------------------|------------------------------|----------------|--------------|---------------|--------------------|--------------------------------------|-------------------------------|----------------------------------|------------------------------|-------------|---|
| Block Reference / External | Block Name | Floor | Room | Surveyor Room Reference | Establishment Room Reference | Establishment Room Name | Room Type | Net Area | Non-net Area | Net Area Validations | Unusable as Basic Workplaces | Height of Room | No. of sinks | Accessibility | Daylight provision | Notes | Basic Workplaces (Calculated) | Resource Workplaces (Calculated) | Room Use | Status | Type of space validation |
| EFAD | 0 | Ground F | 1 | G.001 | 20 | Dining Hall | Large | 71.7 | 12.65 | | N/A | 3.5 | 0 | Yes | Yes | 15% non-net area for circulation | 25 | 0 | Dining halls | N/A | |
| EFAD | 0 | Ground F | 2 | G.002 | N/A | Commercial kitchen | Non-net | 0 | 165 | | N/A | 0 | 0 | Yes | Yes | This area is shared with Langley 1st | 0 | 0 | Commercial kitchens (suite) | N/A | |
| EFAD | 0 | Ground F | 3 | G.003 | 21 | Assembly Hall | Large | 151.25 | 0 | | N/A | 4.82 | 0 | Yes | Yes | 15% non-net area for circulation | 30 | 3 | Assembly halls | Teaching | Large rooms with less than 3.5m height. |
| EFAD | 0 | Ground F | 4 | G.004 | N/A | Equipment Store | Storage | 13.57 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 3 | Equipment stores | N/A | |
| EFAD | 0 | Ground F | 5 | G.005 | 22 | Sensory room | General (but less than 27m²) | 16.26 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 7 | Sensory rooms | N/A | |
| EFAD | 0 | Ground F | 6 | G.006 | N/A | Sports Equipment Store | Storage | 16.73 | 0 | | Daylight/ ventilation | 0 | 0 | Yes | No | 0 | 0 | 5 | Sports equipment stores | N/A | |
| EFAD | 0 | Ground F | 7 | G.007 | N/A | Store | Storage | 9.99 | 0 | | N/A | 0 | 0 | Yes | No | Estimated use and size | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 8 | G.008 | 18 | N/A | General (but less than 27m²) | 9.43 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 3 | Offices | N/A | |
| EFAD | 0 | Ground F | 9 | G.009 | 19 | Office | General (but less than 27m²) | 11.77 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 4 | Offices | N/A | |
| EFAD | 0 | Ground F | 10 | G.010 | N/A | Store | Storage | 0.76 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 11 | G.011 | N/A | Lobby | Non-net | 0 | 13.38 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 12 | G.012 | 29 | Class 4 | General | 57.08 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 30 | 5 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 13 | G.013 | N/A | Wc | Non-net | 0 | 6.66 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 14 | G.014 | 30 | Class 5 | General | 57.12 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 30 | 5 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 15 | G.015 | N/A | Wc | Non-net | 0 | 2.1 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 16 | G.016 | N/A | Store | Storage | 3.98 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 17 | G.017 | 32 | Store | Storage | 7.14 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 18 | G.018 | N/A | Wcs | Non-net | 0 | 9.09 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 19 | G.019 | 34 | Wc | Non-net | 0 | 10.69 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 20 | G.020 | 35 | Wc | Non-net | 0 | 3.63 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (staff/ visitors) | N/A | |
| EFAD | 0 | Ground F | 21 | G.021 | 36 | Wc | Non-net | 0 | 12.71 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 22 | G.022 | 37 | Store | Storage | 0.9 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 23 | G.023 | 38 | Class 6 | General | 39.35 | 0 | | N/A | 2.75 | 1 | Yes | Yes | 0 | 23 | 0 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 24 | G.024 | N/A | Store | Storage | 4.61 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 25 | G.025 | 38 | Class 7 | General | 39.4 | 0 | | N/A | 0 | 1 | Yes | Yes | 0 | 23 | 0 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 26 | G.026 | N/A | Store | Storage | 4.82 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 27 | G.027 | 40 | Class 3 | General | 49.25 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 29 | 0 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 28 | G.028 | N/A | Store | Storage | 4.8 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 29 | G.029 | N/A | Wcs | Non-net | 0 | 19.65 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (pupils) | N/A | |
| EFAD | 0 | Ground F | 30 | G.030 | 43 | Classroom 9 | General | 38.56 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 22 | 0 | Secondary SEN classrooms | Teaching | |
| EFAD | 0 | Ground F | 31 | G.031 | 44 | lct suite | General (but less than 27m²) | 19.78 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 10 | 0 | Offices | N/A | |
| EFAD | 0 | Ground F | 32 | G.032 | N/A | Store | Storage | 4.94 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 33 | G.033 | 45 | Classroom 8 | General | 49.34 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 29 | 0 | Secondary SEN classrooms | Teaching | |
| EFAD | 0 | Ground F | 34 | G.034 | N/A | Store | Storage | 4.82 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 35 | G.035 | 46 | Classroom 11 | Light practical (science) | 49.28 | 0 | | N/A | 0 | 2 | Yes | Yes | 0 | 16 | 0 | Science laboratories | Teaching | |
| EFAD | 0 | Ground F | 36 | G.036 | N/A | Prep room | Light practical (science) | 10.09 | 0 | | N/A | 0 | 1 | Yes | Yes | 0 | 0 | 1 | Science prep rooms | N/A | |
| EFAD | 0 | Ground F | 37 | G.037 | 47 | Classroom 12 | Heavy practical (clean) | 49.61 | 0 | | N/A | 0 | 1 | Yes | Yes | 0 | 11 | 0 | Food rooms | Teaching | |
| EFAD | 0 | Ground F | 38 | G.038 | 48 | Quiet room | General (but less than 27m²) | 18.04 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Quiet calming spaces | N/A | |
| EFAD | 0 | Ground F | 39 | G.039 | 49 | Classroom 10 | General | 46.23 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 27 | 0 | Secondary SEN classrooms | Teaching | |
| EFAD | 0 | Ground F | 40 | G.040 | N/A | Lobby | Non-net | 0 | 9.5 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 41 | G.041 | 51 | Wcs | Non-net | 0 | 17.82 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (pupils) | N/A | |
| EFAD | 0 | Ground F | 42 | G.042 | N/A | Wcs | Non-net | 0 | 17.61 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (pupils) | N/A | |
| EFAD | 0 | Ground F | 43 | G.043 | N/A | Corridor | Non-net | 0 | 190.07 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 44 | G.044 | 31 | Office | General (but less than 27m²) | 19.99 | 0 | | N/A | 0 | 1 | Yes | Yes | 0 | 10 | 0 | Offices | N/A | |
| EFAD | 0 | Ground F | 45 | G.045 | N/A | Cleaners cupboard | Storage | 9.58 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 1 | Cleaners' stores | N/A | |
| EFAD | 0 | Ground F | 46 | G.046 | 28 | Classroom 2 | General | 48.74 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 29 | 0 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 47 | G.047 | N/A | Kitchen | Light practical (other) | 9.09 | 0 | | N/A | 0 | 2 | Yes | Yes | Kitchen with 2 sinks. | 0 | 1 | Kitchenettes | N/A | |
| EFAD | 0 | Ground F | 48 | G.048 | N/A | Store | Storage | 4.92 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 49 | G.049 | 26 | Nursery | General | 48.29 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 29 | 0 | Nursery playrooms | Early Years | |
| EFAD | 0 | Ground F | 50 | G.050 | N/A | Store | Storage | 4.76 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Classroom stores | N/A | |
| EFAD | 0 | Ground F | 51 | G.051 | N/A | Wcs | Non-net | 0 | 20.02 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (pupils) | N/A | |
| EFAD | 0 | Ground F | 52 | G.052 | 17 | Reception office | General (but less than 27m²) | 22.48 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 11 | 0 | Offices | N/A | |
| EFAD | 0 | Ground F | 53 | G.053 | N/A | Store | Storage | 5.12 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 54 | G.054 | N/A | Plant | Non-net | 0 | 6.48 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 0 | Plant rooms | N/A | |
| EFAD | 0 | Ground F | 55 | G.055 | 16 | Meeting room | General (but less than 27m²) | 16.37 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 7 | 0 | Meeting rooms | N/A | |
| EFAD | 0 | Ground F | 56 | G.056 | 15 | Office | General (but less than 27m²) | 12.54 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 5 | Offices | N/A | |
| EFAD | 0 | Ground F | 57 | G.057 | N/A | Wcs | Non-net | 0 | 1.83 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Toilets (staff/ visitors) | N/A | |
| EFAD | 0 | Ground F | 58 | G.058 | N/A | Corridor | Non-net | 0 | 2.75 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 59 | G.059 | 12 | Nurses office | General (but less than 27m²) | 18.29 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 9 | Medical treatment rooms | N/A | |
| EFAD | 0 | Ground F | 60 | G.060 | 13 | Office | General (but less than 27m²) | 8.67 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 2 | Offices | N/A | |
| EFAD | 0 | Ground F | 61 | G.061 | 11 | Office | Fitted | 21.8 | 0 | | N/A | 0 | 0 | Yes | Yes | Fitted office | 0 | 7 | Offices | N/A | |
| EFAD | 0 | Ground F | 62 | G.062 | 10 | Therapy room | General | 30.06 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 17 | 0 | Therapy rooms | N/A | |
| EFAD | 0 | Ground F | 63 | G.063 | N/A | Store | Storage | 1.24 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 64 | G.064 | 8 | Classroom 1 | General | 42.29 | 0 | | N/A | 0 | 0 | Yes | Yes | 0 | 25 | 0 | Primary SEN classrooms | Classbase | |
| EFAD | 0 | Ground F | 65 | G.065 | N/A | Store | Storage | 1.07 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 66 | G.066 | 9 | Kitchen | Light practical (other) | 4.12 | 0 | | N/A | 0 | 1 | Yes | Yes | 0 | 0 | 1 | Kitchenettes | N/A | |
| EFAD | 0 | Ground F | 67 | G.067 | N/A | Corridor | Non-net | 0 | 15.11 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 68 | G.068 | 3 | Change area | Non-net | 0 | 48.82 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Changing rooms, with showers | N/A | |
| EFAD | 0 | Ground F | 69 | G.069 | N/A | Pool | Large | 231.87 | 0 | | Pools | 2.57 | 0 | Yes | Yes | 0 | 0 | 39 | Indoor swimming pools | N/A | |
| EFAD | 0 | Ground F | 70 | G.070 | N/A | Store | Storage | 5.29 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 71 | G.071 | 53 | Change area | Non-net | 0 | 11.9 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Changing rooms, with showers | N/A | |
| EFAD | 0 | Ground F | 72 | G.072 | 53 | Plant | Non-net | 0 | 45.93 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 0 | Plant rooms | N/A | |
| EFAD | 0 | Ground F | 73 | G.073 | 4 | Change area | Non-net | 0 | 45.45 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Changing rooms, with showers | N/A | |
| EFAD | 0 | Ground F | 74 | G.074 | 5 | Circulation | Non-net | 0 | 7.75 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 75 | G.075 | 6 | Fire escape | Non-net | 0 | 7.11 | | Fire escape | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Circulation spaces | N/A | |
| EFAD | 0 | Ground F | 76 | G.076 | 7 | Wc | Non-net | 0 | 6.26 | | N/A | 0 | 0 | Yes | Yes | 0 | 0 | 0 | Accessible toilets | N/A | |
| EFAD | 0 | Ground F | 77 | G.077 | N/A | Corridor | General (but less than 27m²) | 20 | 171.69 | | N/A | 2.98 | 0 | Yes | Yes | Approx 10%net area for shelving, pl | 10 | 0 | Unused net area | N/A | |
| EFAD | 0 | Ground F | 78 | G.078 | N/A | Store | Storage | 3.03 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Ground F | 79 | G.079 | N/A | Store | Storage | 2.56 | 0 | | N/A | 0 | 0 | Yes | No | 0 | 0 | 1 | Storage rooms | N/A | |
| EFAD | 0 | Lower Grt | 1 | LG.001 | 25 | Boiler room | Non-net | 0 | 143.47 | | N/A | 3.69 | 0 | Yes | Yes | 0 | 0 | 0 | Plant rooms | N/A | |
| EFAD | 0 | 1st Floor | 1 | 1.001 | N/A | Staff room | | | | | | | | | | | | | | | |

Net Capacity
This shows the calculations that are used to determine net capacity. When considering overall capacity, the number of workplaces may be considered to be an approximation of the number of pupils.

Where a calculation is defaulting to an upper or lower limit, a message will appear in red. This does not necessarily signify an error or an issue, but may indicate rooms could be utilised more efficiently.

| | | |
|---|-----|---|
| Net Capacity | | |
| Basic workplaces included in capacity calculation: | 636 | The total number of workplaces in rooms designated as "Classbase", "Teaching", "Unusable" or unmarked. |
| Resource workplaces included in capacity calculation: | 172 | |
| Basic workplaces calculated in classbases | 189 | The total number of basic workplaces in classbases (rooms designated as "Classbase") |
| Basic workplaces calculated in teaching spaces | 299 | The total number of basic workplaces in teaching spaces (rooms designated as "Teaching") |
| Workplaces available in classbases / teaching spaces | 488 | The lower of: (a) the basic workplaces calculated in classbases and / or teaching spaces or (b) 70% of the total number of basic and resource workplaces. This ensures that enough support space is being considered to support the teaching space. |
| Capacity based on classbases / teaching spaces | 124 | The capacity based on classbases / teaching spaces uses the utilisation factor to account for teaching spaces being timetabled or partially used. |
| Basic workplace allowance | 45 | 45 Basic workplaces, plus 45 additional basic workplace allowance for any additional sites and a further 50 basic workplaces if the site is small (when compared to the capacity based on classbases/teaching spaces). Discounting a basic workplace allowance allows parity across a range of school size for large non-teaching spaces. |
| maximum workplaces available | 124 | The higher of: (a) the capacity based on classbases / teaching spaces or (b) 70% of the (Total basic workplaces minus the basic workplace allowance) multiplied by the utilisation factor. This ensures a reasonable amount of space is being considered as teaching space. |
| minimum workplaces available | 93 | (a) 75% of the maximum workplaces available. |
| capacity based on planned admission no. | 168 | The number of pupils that are at the establishment based the Planned Admission Number. |
| net capacity | 124 | Equal to (a) the capacity based on the planned admission number where between the minimum and maximum workplaces available or (b) the minimum or maximum workplaces available where the capacity based on the planned admission number is outside of the minimum and maximum workplaces available. |

Theoretical maximum workplaces available
The maximum workplaces available above is not only based on the size and type of spaces, but also considers which spaces are used as teaching spaces. The theoretical maximum workplaces available shows the maximum workplaces available if spaces were configured to maximise the amount of teaching space and all of that teaching space was used as such. In most cases, the theoretical maximum capacity will not be achievable without major reconfiguration and will not be achievable with most curriculums / admission arrangements. The theoretical maximum capacity may suggest that a reconfiguration could lead to an increase in capacity. Where a reconfiguration of spaces has reduced the capacity of an establishment (for example, teaching space has been repurposed as office space), the theoretical maximum workplaces available could be used to support a previous higher capacity value.

For primary schools, the theoretical maximum workplaces available considers all spaces as potential classbases rather than teaching spaces.

| | | |
|--|-----|--|
| Theoretical maximum workplaces available | 156 | ((70% of the total number of basic and resource workplaces) minus an allowance for untimetabled teaching spaces) multiplied by the utilisation factor. |
|--|-----|--|

Comments

Reason for position within range